

Open Merchandisers Multi Purpose

- PRODUCT SPECIFICATIONS SHEETS



- Cases are designed to operate at 75 degrees Fahrenheit and 55% relative humidity

Self-Contained

HAP46-2

Height

84"

Length

46"

Depth

35"

(Dimensions are +/-1/4")

- Specification subject to change without notice

Standard Specifications and Optional Features

<p>CONSTRUCTION Multi deck display Foamed in place CFC free foam Heavy gauge steel super structure</p>	<p>FINISHES Designer white or black end panels Designer white or black front rail Designer white or black end trim Coated galvanized rear</p>
<p>INTERIOR Designer white or black end panels Designer white or black perforated rear wall (<i>for even air distribution</i>) Full length display lighting at top of unit Stylish tag molding on each shelf</p>	<p>REFRIGERATION R134a expansion valve system Low velocity fans located below deck area (<i>to insure even flow of air</i>) Temperature control Auto defrost controlled by time clock-<i>(self contained units only)</i> Air screen technology Self contained system Copeland hermetic unit Water is pumped to top and evaporated (<i>with Copevap system</i>) Remotes available</p>
<p>EXTERIOR Designer white or black ends and front Designer white or black end trim Heavy duty black kick plate</p>	<p>LIGHTING Display sign</p>
<p>ELECTRICAL REQUIREMENTS Unit must be hard wired UL/CUL listed 115V/60Hz/1Ph</p>	<p><i>Important Note: All refrigerated cases are designed to operate in an environment of 75 degrees and 55% relative humidity.</i> <i>Important Note: Product must be cooled before being displayed within the case.</i></p>

OPTIONAL FEATURES

<p>Night covers Peg bars Condensate pan Electronic control system</p>	<p>Stainless steel, laminate or paint Product stops on shelving Security cover Digital thermometer</p>
---	--

(ALL WHITE OR ALL BLACK, NO EXTRA CHARGE—IF COLORS ARE MIXED AN ADDITIONAL CHARGE WILL APPLY)



Technical Data

Model #	Self contained	HAP46-2
Height Length Depth (Dimensions are +/- 1/4")		84" 46" 35"
Operating temperature Refrigerant (expansion valve) Compressor size HP Refrigeration System Defrost per day (24 hours) Voltage Amperage Cord and plug	Self contained Self contained Air Defrost Self contained	36°F to 40°F R134a 3/4 Temperature Control 6 @ 22 min. 115V 18.9A No
Exterior color Interior color Inside end panels Floor		White or Black White or Black White or Black White or Black


(ALL WHITE OR ALL BLACK, NO EXTRA CHARGE—IF COLORS ARE MIXED AN ADDITIONAL CHARGE WILL APPLY)

SHIPPING INFORMATION


Height Depth Length Gross weight Cubic feet	Self contained	86" 44" 51" 570# 112ft ³
---	----------------	---

- Cases are designed to operate at 75 degrees Fahrenheit and 55% relative humidity
- Cases are equipped with drains; check your local building codes for connection requirements.
- Specification subject to change without notice

Technical Data • Side View • Plan View



Cross Section



Plan View