




Reach Ins

GR/GF – Glass Door  
Merchandisers 78.5" High



## GR/GF – Glass Door Merchandisers 78.5” High

### STANDARD FEATURES

- Designer White, Glossy Black Aluminum or Stainless Steel
- Automatic Condensate on Bottom Mount
- (4) Epoxy Coated Shelves Per Door
- Triple Pane Glass Doors
- 1, 2, 3 & 4 – Door Models
- Heavy Duty Edge Mounted Hinges
- Bottom Mounted Condensing Unit
- Energy Efficient LED Lighting Systems
- UL Classified to ANSI/NSF 7
- Remotes available – deduct 10%

### GLASS DOORS REFRIGERATORS – HINGED – BOTTOM MOUNT – 78.5” HIGH

Model No.	Description	Depth	Length	Height	Voltage	Amps	HP	Power Cord	Est Ship Wt
<b>WHITE EXTERIOR &amp; INTERIOR</b>									
GR19BM	One Door	34.25"	26.50"	78.5"	115	10.2	1/3	5-15P	330
GR42BM	Two Door	34.25"	52.25"	78.5"	115	11.0	1/3	5-15P	520
GR65BM	Three Door	34.25"	78.00"	78.5"	115	13.8	1/2	5-20P	720
GR88BM	Four Door	34.25"	103.75"	78.5"	115/208-230	6.40/7.10	3/4	L14-20P	1248
<b>BLACK EXTERIOR &amp; INTERIOR</b>									
GR19BM-B	One Door	34.25"	26.50"	78.5"	115	10.2	1/3	5-15P	330
GR42BM-B	Two Door	34.25"	52.25"	78.5"	115	11.0	1/3	5-15P	520
GR65BM-B	Three Door	34.25"	78.00"	78.5"	115	13.8	1/2	5-20P	720
GR88BM-B	Four Door	34.25"	103.75"	78.5"	115/208-230	6.40/7.10	3/4	L14-20P	1248
<b>STAINLESS STEEL EXTERIOR &amp; INTERIOR</b>									
GR19BM-S	One Door	34.25"	26.50"	78.5"	115	10.2	1/3	5-15P	330
GR42BM-S	Two Door	34.25"	52.25"	78.5"	115	11.0	1/3	5-15P	520
GR65BM-S	Three Door	34.25"	78.00"	78.5"	115	13.8	1/2	5-20P	720
GR88BM-S	Four Door	34.25"	103.75"	78.5"	115/208-230	6.40/7.10	3/4	L14-20P	1248

### GLASS DOORS FOOD FREEZERS – HINGED – BOTTOM MOUNT – 78.5” HIGH

Model No.	Description	Depth	Length	Height	Voltage	Amps	HP	Power Cord	Est Ship Wt
<b>WHITE EXTERIOR &amp; INTERIOR</b>									
GF19BM-FF	One Door	38.688"	26.50"	78.5"	115	16.0	1/2	5-20P	390
GF42BM-FF	Two Door	34.25"	52.25"	78.5"	115/208-230	16.0	3/4	L14-20P	590
GF65BM-FF	Three Door	34.25"	78.00"	78.5"	115/208-230	16.0	1	L14-20P	790
GF88BM-FF	Four Door	34.25"	103.75"	78.5"	115/208-230	16.0/16.0	(2) 3/4	(2)L14-20P	1174
<b>BLACK EXTERIOR &amp; INTERIOR</b>									
GR19BM-B	One Door	38.688"	26.50"	78.5"	115	16.0	1/2	5-20P	390
GR42BM-B	Two Door	34.25"	52.25"	78.5"	115/208-230	16.0	3/4	L14-20P	590
GR65BM-B	Three Door	34.25"	78.00"	78.5"	115/208-230	16.0	1	L14-20P	790
GR88BM-B	Four Door	34.25"	103.75"	78.5"	115/208-230	16.0/16.0	(2) 3/4	(2)L14-20P	1174
<b>STAINLESS STEEL EXTERIOR &amp; INTERIOR</b>									
GR19BM-S	One Door	38.688"	26.50"	78.5"	115	16.0	1/2	5-20P	390
GR42BM-S	Two Door	34.25"	52.25"	78.5"	115/208-230	16.0	3/4	L14-20P	590
GR65BM-S	Three Door	34.25"	78.00"	78.5"	115/208-230	16.0	1	L14-20P	790
GR88BM-S	Four Door	34.25"	103.75"	78.5"	115/208-230	16.0/16.0	(2) 3/4	(2)L14-20P	1174



## GR/GF Series – Glass Door Merchandisers 83” High

### STANDARD FEATURES

- Designer White, Glossy Black Aluminum or Stainless Steel\*\*
- Automatic Condensate on Bottom Mount
- (4) Epoxy Coated Shelves Per Door
- Triple Pane Glass Doors
- Heavy Duty Edge Mounted Hinges
- Top or Bottom Mounted Condensing Unit
- 1, 2, 3 & 4 – Door Models
- 5” Casters on Top Mount
- Electronic Controller Mounted to Front Grill
- Energy Efficient LED Lighting Systems
- UL Classified to ANSI/NSF 7
- Remotes available – deduct 10%

### GLASS DOOR REFRIGERATORS – HINGED – TOP MOUNT – 83” HIGH”

Model No.	Description	Depth	Length	Height	Voltage	Amps	HP	Power Cord	Est Ship Wt
<b>WHITE EXTERIOR &amp; INTERIOR</b>									
GR22	One Door	36.50"	26.50"	83"	115	10.2	1/3	5-15P	330
GR48	Two Door	36.50"	52.25"	83"	115	11.0	1/3	5-15P	520
GR75	Three Door	36.50"	78.00"	83"	115	13.8	1/2	5-20P	720
GR102	Four Door	36.50"	103.75"	83"	115/208-230	6.40/7.10	3/4	L14-20P	980
<b>BLACK EXTERIOR &amp; INTERIOR</b>									
GR22-B	One Door	36.50"	26.50"	83"	115	10.2	1/3	5-15P	330
GR48-B	Two Door	36.50"	52.25"	83"	115	11.0	1/3	5-15P	520
GR75-B	Three Door	36.50"	78.00"	83"	115	13.8	1/2	5-20P	720
GR102-B	Four Door	36.50"	103.75"	83"	115/208-230	6.40/7.10	3/4	L14-20P	980

### GLASS DOORS REFRIGERATORS – HINGED – BOTTOM MOUNT – 82” HIGH

Model No.	Description	Depth	Length	Height	Voltage	Amps	HP	Power Cord	Est Ship Wt
<b>WHITE EXTERIOR &amp; INTERIOR</b>									
GR22BM	One Door	37.25"	26.50"	82"	115	10.2	1/3	5-15P	330
GR48BM	Two Door	37.25"	52.25"	82"	115	11.0	1/3	5-15P	520
GR75BM	Three Door	37.25"	78.00"	82"	115	13.8	1/2	5-20P	720
GR102BM	Four Door	37.25"	103.75"	82"	115/208-230	6.40/7.10	3/4	L14-20P	980
<b>BLACK EXTERIOR &amp; INTERIOR</b>									
GR22BM-B	One Door	37.25"	26.50"	82"	115	10.2	1/3	5-15P	330
GR48BM-B	Two Door	37.25"	52.25"	82"	115	11.0	1/3	5-15P	520
GR75BM-B	Three Door	37.25"	78.00"	82"	115	13.8	1/2	5-20P	720
GR102BM-B	Four Door	37.25"	103.75"	82"	115/208-230	6.40/7.10	3/4	L14-20P	980

## GR/GF Series – Glass Door Merchandisers 83" High Deduct 10% for Remote



### GLASS DOOR REFRIGERATORS – HINGED – TOP MOUNT – 83" HIGH"

Model No.	Description	Depth	Length	Height	Voltage	Amps	HP	Power Cord	Est Ship Wt
<b>WHITE EXTERIOR &amp; INTERIOR</b>									
GF22-FF	One Door	36.50"	26.50"	83"	115	16.0	1/2	5-20P	390
GF48-FF	Two Door	36.50"	52.25"	83"	115/208-230	16.0	3/4	L14-20P	590
GF75-FF	Three Door	36.50"	78.00"	83"	115/208-230	16.0	1	L14-20P	790
GF102-FF	Four Door	36.50"	103.75"	83"	115/208-230	16.0/16.0	(2)3/4	(2)L14-20P	1174
<b>BLACK EXTERIOR &amp; INTERIOR</b>									
GF22-FF-B	One Door	36.50"	26.50"	83"	115	16.0	1/2	5-20P	390
GF48-FF-B	Two Door	36.50"	52.25"	83"	115/208-230	16.0	3/4	L14-20P	590
GF75-FF-B	Three Door	36.50"	78.00"	83"	115/208-230	16.0	1	L14-20P	790
GF102-FF-B	Four Door	36.50"	103.75"	83"	115/208-230	16.0/16.0	(2)3/4	(2)L14-20P	1174

### GLASS DOORS FROZEN FOOD FREEZERS – HINGED BOTTOM MOUNT – 82" HIGH"

Model No.	Description	Depth	Length	Height	Voltage	Amps	HP	Power Cord	Est Ship Wt
<b>WHITE EXTERIOR &amp; INTERIOR</b>									
GF22BM-FF	One Door	35.88"	26.50"	82"	115	16.0	1/2	5-20P	390
GF48BM-FF	Two Door	35.88"	52.25"	82"	115/208-230	16.0	3/4	L14-20P	590
GF75BM-FF	Three Door	35.88"	78.00"	82"	115/208-230	16.0	1	L14-20P	790
GF102BM-FF	Four Door	35.88"	103.75"	82"	115/208-230	16.0/16.0	(2)3/4	(2)L14-20P	1174
<b>BLACK EXTERIOR &amp; INTERIOR</b>									
GF22BM-FF-B	One Door	35.88"	26.50"	82"	115	16.0	1/2	5-20P	390
GF48BM-FF-B	Two Door	35.88"	52.25"	82"	115/208-230	16.0	3/4	L14-20P	590
GF75BM-FF-B	Three Door	35.88"	78.00"	82"	115/208-230	16.0	1	L14-20P	790
GF102BM-FF-B	Four Door	35.88"	103.75"	82"	115/208-230	16.0/16.0	(2)3/4	(2)L14-20P	1174

Recommended Operating Conditions – 75°F @ 55% Relative Humidity

**OPTIONS PAGE 8**

## GR/GF Series – Options

### OPTIONS

Part No.	Description	Model
GR-9000-22	Stainless Steel Exterior Ends, Grill & Frame	GR/GF 22/19
GR-9000-48	Stainless Steel Exterior Ends, Grill & Frame	GR/GF 48/42
GR-9000-75	Stainless Steel Exterior Ends, Grill & Frame	GR/GF 75/65
GR-9000-102	Stainless Steel Exterior Ends, Grill & Frame	GR/GF 102/88
GR-9001-22	Stainless Steel Interior	GR/GF 22/19
GR-9001-48	Stainless Steel Interior	GR/GF 48/42
GR-9001-75	Stainless Steel Interior	GR/GF 75/65
GR-9001-102	Stainless Steel Interior	GR/GF 102/88
Shelf-GR	Epoxy Coated Shelf with Clips	GR/GF 22,48,75,102
Shelf22G	Epoxy Coated Shelf with Clips	GR/GF22
Shelf48G	Epoxy Coated Shelf with Clips	GR/GF48
Shelf75GE	Epoxy Coated Shelf with Clips	GR/GF 75 (R or L door)
Shelf75GC	Epoxy Coated Shelf with Clips	GR/GF 75 (Center door)
Shelf19G	Epoxy Coated Shelf with Clips	GR/GF 102 (R or L door)
Shelf42G-CS	Epoxy Coated Shelf with Clips	GR/GF 102 (Center door)
Shelf65GE-CS	Cantilever Shelf	GR/GF65(R or L door)
Shelf65GC-CS	Cantilever Shelf	GR/GF65(Center door)
Shelf88-GE-CS	Cantilever Shelf	GR/GF88(R or L door)
Shelf88GC-CS	Cantilever Shelf	GR/GF88(Center door)
PT-GF/GR-B	Product Tag Molding Black-Snap on	ALL GR/GGF-Per Shelf
PT-GF/GR	Product Tag Molding White-Snap on	ALL GR/GGF-Per Shelf
DL-22	Hinged Door Locks	GR/GF19, 22-Per 1 Door
DL-48	Hinged Door Locks	GR/GF42, 48-Per 2 Doors
DL-75	Hinged Door Locks	GR/GF65, 75-Per 3 Doors
DL-102	Hinged Door Locks	GR/GF88-102-Per 4 Doors
DS-GR/GF	Door Swing Change	All-Per Door
Legs-4	Legs 6" Set of 4 (Black)	All 1 and 2 Doors
Legs-6	Legs 6" Set of 6 (Black)	All 3 Doors
Legs-8	Legs 6" Set of 8 (Black)	All 4 Doors
Legs-4S	Legs 6" Set of 4 (Stainless Steel)	All 1 and 2 Doors
Legs-6S	Legs 6" Set of 6 (Stainless Steel)	All 3 Doors
Legs-8S	Legs 6" Set of 8 (Stainless Steel)	All 4 Doors
Casters-4	Set of 4 Casters	All 1 and 2 Doors
Casters-6	Set of 6 Casters	All 3 Doors
Casters-8	Set of 8 Casters	All 4 Doors
21-014-S	Temperature Control	All Remotes
SV-GR	Solenoid Valve	Remote GRs
SV-GF	Solenoid Valve	Remote GFs



Recommended Operating Conditions – 75°F @ 55% Relative Humidity





## SR/SF Series – Refrigerators & Freezers



### REACH IN – REFRIGERATORS – 83" HIGH WITH CASTERS

Model No.	Description	Depth	Length	Height	Voltage	Amps	HP	Power Cord	Est Ship Wt
SR22	One Door	36.84"	26.50"	83"	115	6.8	1/4	5-15P	328
SR48	Two Door	36.84"	52.25"	83"	115	9.6	1/3	5-15P	516
SR75	Three Door	36.84"	78.00"	83"	115	12.1	1/2	5-20P	720
<b>STAINLESS STEEL EXTERIOR &amp; INTERIOR</b>									
SR22-S	One Door	36.84"	26.50"	83"	115	6.8	1/4	5-15P	328
SR48-S	Two Door	36.84"	52.25"	83"	115	9.6	1/3	5-15P	516
SR75-S	Three Door	36.84"	78.00"	83"	115	12.1	1/2	5-20P	720

### Remotes (Includes Expansion Valve & Controller)

Model No.	Description	Depth	Length	Height	Voltage	Amps	BTUs	Power Cord	Est Ship Wt
R-SR22	One Door	36.84"	26.50"	83"	115	1.1	1000	No	328
R-SR48	Two Door	36.84"	52.25"	83"	115	2.0	1900	No	516
R-SR75	Three Door	36.84"	78.00"	83"	115	2.3	2300	No	720

Recommended Operating Conditions – 75°F @ 55% Relative Humidity



## SR/SF Series – Refrigerators & Freezers

### STANDARD FEATURES

- Stainless Steel Front, Grille & Doors
- Aluminum Interior & Outside Ends
- Edgemounted Self Closing Hinges
- 3 Epoxy Coated Shelves Per Door Opening
- Casters – 5"
- Electronic Controller Mounted to Front Grill
- UL Classified to ANSI/NSF 7

### REACH IN – FREEZERS – 83" HIGH WITH CASTERS

Model No.	Description	Depth	Length	Height	Voltage	Amps	HP	Power Cord	Est Ship Wt
<b>FROZEN FOODS (+5 TO -5F)</b>									
SF22-FF	One Door	36.84"	26.50"	83"	115	12.0	1/2	5-15P	373
SF48-FF	Two Door	36.84"	52.25"	83"	115	16.0	1/2	5-20P	710
SF75-FF	Three Door	36.84"	78.00"	83"	115/208-230	12.0	3/4	L14-20P	790
<b>STAINLESS STEEL EXTERIOR &amp; INTERIOR</b>									
SF22-S-FF	One Door	36.84"	26.50"	83"	115	12.0	1/2	5-15P	373
SF48-S-FF	Two Door	36.84"	52.25"	83"	115	16.0	1/2	5-20P	710
SF75-S-FF	Three Door	36.84"	78.00"	83"	115/208-230	16.0	3/4	L14-20P	790

### REMOTES (INCLUDES EXPANSION VALVE & CONTROLLER)

Model No.	Description	Depth	Length	Height	Voltage	Amps	BTUs FF/LT	Power Cord	Est Ship Wt
R-SF22	One Door	36.84"	26.50"	83"	115	9.6	1556/1694	No	328
R-SF48	Two Door	36.84"	52.25"	83"	115	14.0	2100/2400	No	516
R-SF75	Three Door	36.84"	78.00"	83"	115/208-230	8.6	3400/2900	No	720

\* BTUs – Frozen Foods (FF) @ -15° SST.

### OPTIONS



Model No.	Description	Model	Quantity
Door-H	Door Swing Change	All	1
Casters-4	Set of 4 Casters	22/48	1
Casters-6	Set of 6 Casters	75	1
Legs-4	Set of 4 Casters	22/48	1
Legs-6	Set of 6 Casters	75	1
Legs-4S	Set of 4 Casters	22/48	1
Legs-6S	Set of 6 Casters	75	1
Shelf-SR-SF22	Extra Shelf-SR/SF22	SR/SF22	1
Shelf-SR-SF48	Extra Shelf-SR/SF48	SR/SF48	1
Shelf-SR-SF75E	Extra Shelf: Left or Right ends SR/SF75	SR/SF75	1
Shelf-SR-SF75C	Extra Shelf: Center-SR/SF75	SR/SF75	1
SR-9000-OE	Stainless Steel Outside Ends (2)	All	1
SR-9001-22	Stainless Steel Bottom Only-22	SR/SF22	1
SR-9001-48	Stainless Steel Bottom Only-48	SR/SF48	1
SR-9001-75	Stainless Steel Bottom Only-75	SR/SF75	1
PR-12	Universal Pan Racks 1 set-12 slots	All	1
PR-16	Universal Pan Racks 1 set-16 slots	All	1
PR-29	Universal Pan Racks 1 set-29 slots	All	1
20-206-P	Condensate Pan	All	1

### "MADE TO ORDER" DISCLAIMER:

"Added Options" on Howard McCray units are considered "MADE TO ORDER". They will require a deposit and cannot be cancelled or returned once the order has been confirmed. This includes: Remote Units, Special Colors, and Line-ups of Multiple Units.

# Howard McCray



[www.howardmccray.com](http://www.howardmccray.com)

Howard McCray 831 East Cayuga Street, Philadelphia, PA 19124 • 1-800-344-8222

**Howard  
McCray**

[www.howardmccray.com](http://www.howardmccray.com)

Howard McCray 831 East Cayuga Street, Philadelphia, PA 19124 • 1-800-344-8222