

Howard McCray



Service Case Catalog

www.howardmccray.com



Howard McCray 831 East Cayuga Street, Philadelphia, PA. 19124
1-800-344-8222 • (215) 464-6800 • E-Mail: sales@howardmccray.com

40E Series Cases Deli, Red Meat, Fish/Poultry, Hot Case

Features

Choice of White, Black, Stainless Steel or Laminated Exterior
Choice of White or Stainless Steel Interior
Epoxy Coated Main Deck Shelves
Stainless Steel Heavy Gauge Top 20"
Thermal Insulated Front Glass
Endless Design For Continuous Line Up
Front 1" Gray Bumper
LED Lit Top
Full length Gravity Coil Located Inside Top
Expansion Valve System
UL Classified to ANSI/NSF 7
Temperature & Defrost Electronically Controlled
Full Length Mezzanine Shelf (Deli Only)
Humidity Coil at Main Deck Level (Meat Only)
Stainless Steel Ice Pans with Drains (Fish Only)

SC-CMS40E-10-S-LED



Hot Cases Available in 4', 6' & 8'



SC-CFS40E-8-LED

Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
SC-CDS40E-4-LED	Self contained	40"	52.5"	53"	115	12	1/4	Yes	530
SC-CDS40E-6-LED	Self contained	40"	76.5"	53"	115	12	1/3	Yes	741
SC-CDS40E-8-LED	Self contained	40"	100.5"	53"	115	16	1/2	Yes	983
SC-CDS40E-10-LED	Self contained	40"	124.5"	53"	115	13.8	1/2	No	1150
SC-CDS40E-12-LED	Self contained	40"	148.5"	53"	115	17.4	3/4	No	1396
Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
R-CDS40E-4-LED	Remote	40"	52.5"	53"	115	0.8	1400	No	497
R-CDS40E-6-LED	Remote	40"	76.5"	53"	115	1.3	2100	No	693
R-CDS40E-8-LED	Remote	40"	100.5"	53"	115	1.6	2800	No	890
R-CDS40E-10-LED	Remote	40"	124.5"	53"	115	2.4	3500	No	1089
R-CDS40E-12-LED	Remote	40"	148.5"	53"	115	2.4	4250	No	1325

Add (-B) for Black or (-S) for Stainless Steel to model number, CMS Red Meat model, CFS Fish and Poultry model, CHS Hot case model

40E-C Series Cases

Bakery

Features

Choice of White, Black, Stainless Steel or Laminated Exterior
 Choice of White or Stainless Steel Interior
 Epoxy Coated Main Deck Shelves
 Stainless Steel Heavy Gauge Top 13 $\frac{3}{4}$ "
 Extra Wide Double Bend Curved Glass
 Endless Design For Continuous Line Up
 Front 2" Gray Bumper
 LED Lit Top
 Full length Gravity Coil Located Inside Top
 Expansion Valve System
 UL Classified to ANSI/NSF 7
 Temperature & Defrost Electronically Controlled
 Two LED Lit Glass Shelves
 Available in Remote and Dry



Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
SC-CBS40E-4C-LED	Self contained	40"	51.5"	53"	115	12	14	Yes	530
SC-CBS40E-6C-LED	Self contained	40"	75.5"	53"	115	12	13	Yes	741
SC-CBS40E-8C-LED	Self contained	40"	99.5"	53"	115	16	12	Yes	891
Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
R-CBS40E-4C-LED	Remote	40"	51.5"	53"	115	0.8	820	No	497
R-CBS40E-6C-LED	Remote	40"	75.5"	53"	115	1.3	1230	No	693
R-CBS40E-8C-LED	Remote	40"	99.5"	53"	115	1.6	1640	No	832

*External Removable Rear Door

Add (-B) for Black or (-S) for Stainless Steel to model number,
 CMS Red Meat model, CFS Fish and Poultry model, add (D) for Dry model



40E-C Series Cases

Deli, Red Meat, Fish/Poultry

Features

Choice of White, Black, Stainless Steel or Laminated Exterior
 Choice of White or Stainless Steel Interior
 Epoxy Coated Main Deck Shelves
 Stainless Steel Heavy Gauge Top 13¾"
 Extra Wide Double Bend Curved Glass
 Endless Design For Continuous Line Up
 Front 2" Gray Bumper
 LED Lit Top
 Full length Gravity Coil Located Inside Top
 Expansion Valve System
 UL Classified to ANSI/NSF 7
 Temperature & Defrost Electronically Controlled
 Full Length Mezzanine Shelf (Deli Only)
 Humidity Coil at Main Deck Level (Meat Only)
 Stainless Steel Ice Pans with Drains (Fish Only)



SC-CDS40E-8C-LED



SC-CFS40E-8C-B-LED



SC-CMS40E-8C-B-LED

Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
SC-CDS40E-4C-LED	Self contained	40"	51.5"	53"	115	12	1/4	5-15P	530
SC-CDS40E-6C-LED	Self contained	40"	75.5"	53"	115	12	1/3	5-15P	741
SC-CDS40E-8C-LED	Self contained	40"	99.5"	53"	115	16	1/2	5-20P	983
Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
R-CDS40E-4C-LED	Remote	40"	51.5"	53"	115	0.8	1400	No	497
R-CDS40E-6C-LED	Remote	40"	75.5"	53"	115	1.3	2100	No	693
R-CDS40E-8C-LED	Remote	40"	99.5"	53"	115	1.6	2800	No	890

*External Removable Rear Door

Add (-B) for Black or (-S) for Stainless Steel to model number,
 CMS Red Meat model, CFS Fish and Poultry model



KCL RREVIT
 ENGINEERING

35 SERIES CASES

Double Duty - Stand Alone

Deli, Red Meat, Fish/Poultry, Hot Case

Features

Choice of White, Black, Stainless Steel or Laminated Exterior
 Choice of White or Stainless Steel Interior
 Standard 1" Gray Bumper
 Epoxy Coated Main Deck Shelves
 Heavy Duty Bright Stainless Steel Top
 Expansion Valve System
 LED Lit Top
 Automatic Condensate Pan - Self Contained
 Full length Gravity Coil Located Inside Top
Full length Gravity Coil Located Bottom Storage Area (Deli and Meat only)
 Thermal Insulated Front Glass
 Temperature & Defrost Electronically Controlled
 Full Length Mezzanine Shelf (Deli Only)
 Humidity Coil at Main Deck Level (Meat Only)
 Stainless Steel Ice Pans with Drains (Fish Only)
 UL Classified to ANSI/NSF 7



Hot Cases Available in 4', 6' & 8'

Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
SC-CDS35-4-LED	Self contained	37.5"	50"	52"	115	12	1/4	5-15P	500
SC-CDS35-6-LED	Self contained	35.5"	71"	52"	115	12	1/3	5-15P	645
SC-CDS35-8-LED	Self contained	35.5"	95"	52"	115	16	1/2	5-20P	900
SC-CDS35-10-LED	Self contained	35.5"	119"	52"	115	13.8	1/2	No	1230
SC-CDS35-12-LED	Self contained	35.5"	143"	52"	115	17.4	3/4	No	1344

Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
R-CDS35-4-LED	Remote	37.5"	50"	52"	115	0.8	1400	No	460
R-CDS35-6-LED	Remote	35.5"	71"	52"	115	1.3	2100	No	595
R-CDS35-8-LED	Remote	35.5"	95"	52"	115	1.6	2800	No	845
R-CDS35-10-LED	Remote	35.5"	119"	52"	115	2.4	3500	No	1175
R-CDS35-12-LED	Remote	35.5"	143"	52"	115	2.4	4200	No	1295

*External Removable Rear Door

Add (-B) for Black or (-S) for Stainless Steel to model number CMS Red Meat model, CFS Fish and Poultry model, CHS hot case model

34E Series Endless Deli – 53" High – Double Duty

Features

- Designer White, Glossy Black Aluminum or Stainless Steel Exterior
- Designer White or Stainless Steel Interior
- Heavy Duty Bright Stainless Steel Top
- Gray Bumper – 1"
- Epoxy Coated Main Deck Shelves
- Automatic Condensate Pan (SC UNITS ONLY)
- Full Length Gravity Coil Located Inside Top
- **Full Length Gravity Coil Located Bottom Storage Area**
- Endless Design Allows for Continuous Lineups
- Thermal Insulated 28" Front Glass
- Extra Large Easy Glide Rear Doors
- Electronically Controlled Temperature & Defrost
- Full Length Mezzanine Shelf (Deli Only)
- Energy Efficient LED Lighting
- UL Classified to ANSI/NSF 7



DELI CASE - LED LIT

Model No.	Description	Depth	Length	Height	Voltage	Amps	HP	Power Cord	Est Ship Wt
WHITE EXTERIOR & INTERIOR									
SC-CDS34E-4-LED	Self contained	36.50"	52.50"	53.00"	115	12.0	1/4	5-15P	530
SC-CDS34E-6-LED	Self contained	34.50"	76.50"	53.00"	115	12.0	1/3	5-15P	741
SC-CDS34E-8-LED	Self contained	34.50"	100.50"	53.00"	115	16.0	1/2	5-20P	897
SC-CDS34E-10-LED	Self contained	34.50"	124.50"	53.00"	115	13.8	1/2	No	1150
SC-CDS34E-12-LED	Self contained	34.50"	148.50"	53.00"	115	17.4	3/4	No	1414
BLACK EXTERIOR & INTERIOR									
SC-CDS34E-4-BE-LED	Self contained	36.50"	52.50"	53.00"	115	12.0	1/4	5-15P	530
SC-CDS34E-6-BE-LED	Self contained	34.50"	76.50"	53.00"	115	12.0	1/3	5-15P	741
SC-CDS34E-8-BE-LED	Self contained	34.50"	100.50"	53.00"	115	16.0	1/2	5-20P	897
SC-CDS34E-10-BE-LED	Self contained	34.50"	124.50"	53.00"	115	13.8	1/2	No	1150
SC-CDS34E-12-BE-LED	Self contained	34.50"	148.50"	53.00"	115	17.4	3/4	No	1414
STAINLESS STEEL EXTERIOR & INTERIOR									
SC-CDS34E-4-S-LED	Self contained	36.50"	52.50"	53.00"	115	12.0	1/4	5-15P	530
SC-CDS34E-6-S-LED	Self contained	34.50"	76.50"	53.00"	115	12.0	1/3	5-15P	741
SC-CDS34E-8-S-LED	Self contained	34.50"	100.50"	53.00"	115	16.0	1/2	5-20P	897
SC-CDS34E-10-S-LED	Self contained	34.50"	124.50"	53.00"	115	13.8	1/2	No	1150
SC-CDS34E-12-S-LED	Self contained	34.50"	148.50"	53.00"	115	17.4	3/4	No	1414

DELI CASE - REMOTES - LED LIT

Model No.	Description	Depth	Length	Height	Voltage	Amps	HP	Power Cord	Est Ship Wt
WHITE EXTERIOR & INTERIOR									
R-CDS34E-4-LED	Remote	34.50"	52.50"	53.00"	115	0.8	1400	NO	497
R-CDS34E-6-LED	Remote	34.50"	76.50"	53.00"	115	1.3	2100	No	693
R-CDS34E-8-LED	Remote	34.50"	100.50"	53.00"	115	1.6	2800	No	832
R-CDS34E-10-LED	Remote	34.50"	124.50"	53.00"	115	2.4	3500	No	1089
R-CDS34E-12-LED	Remote	34.50"	148.50"	53.00"	115	2.4	4200	No	1359



SC-CFS34N-4-B-LED



CHS34N-8-D-S

34N SERIES CASES

Double Duty - Stand Alone Deli, Red Meat, Fish/Poultry, Hot Case

Features

White, Black, Stainless Steel or Laminated Exterior
White or Stainless Steel Interior
Standard 1" Gray Bumper
Epoxy Coated Main Deck Shelves
Heavy Duty Bright Stainless Steel Top
Expansion Valve System
LED Lit Top
Automatic Condensate Pan - Self Contained
Full length Gravity Coil Located Inside Top
Full length Gravity Coil Located Bottom in day Storage Area (Deli and Meat Only)
28" of Thermal Insulated Front Glass
Extra Large Rear Doors
Temperature & Defrost Electronically Controlled
Full Length Mezzanine Shelf (Deli Only)
Stainless Steel Ice Pan (Fish Only)
Humidity Coil at Main Deck Level (Meat Only)
UL Classified to ANSI/NSF 7

Hot Cases **NOW**
Available in 4', 6' & 8'

Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
SC-CDS34N-4-LED	Self contained	36.25"	48"	55"	115	12	1/4	5-15P	530
SC-CDS34N-6-LED	Self contained	34.25"	72"	55"	115	12	1/3	5-15P	742
SC-CDS34N-8-LED	Self contained	34.25"	96"	55"	115	16	1/2	5-20P	897
SC-CDS34N-10-LED	Self contained	34.25"	120"	55"	115	13.8	1/2	No	1150
SC-CDS34N-12-LED	Self contained	34.25"	144"	55"	115	17.4	3/4	No	1414
Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
R-CDS34N-4-LED	Remote	36.25"	48"	55"	115	0.8	1400	No	497
R-CDS34N-6-LED	Remote	34.25"	72"	55"	115	1.3	2100	No	693
R-CDS34N-8-LED	Remote	34.25"	96"	55"	115	1.6	2800	No	832
R-CDS34N-10-LED	Remote	34.25"	120"	55"	115	2.4	3500	No	1089
R-CDS34N-12-LED	Remote	34.25"	144"	55"	115	2.4	4200	No	1359

*External Removable Rear Door
Add (-B) for Black or (-S) for Stainless Steel to model number CMS Red Meat model, CFS Fish and Poultry model, CHS hot case model



32E Series Cases Curved or Straight Glass Deli, Red Meat, Fish/Poultry

Features

Choice of White, Black, Stainless Steel or Laminated Exterior

Choice of White or Stainless Steel Interior

Epoxy Coated Main Deck Shelves

Heavy Duty Bright Stainless Steel Top

Standard 1" Gray Bumper

Expansion Valve System

Temperature & Defrost Electronically Controlled

Full length Gravity Coil Located Inside Top

Thermal Insulated Front Glass

LED Lit Top

UL Classified to ANSI/NSF 7

Automatic Condensate Pan - Self Contained

Endless Design for Continuous Lineups

Full Length Mezzanine Shelf (Deli Only)

Humidity Coil at Main Deck Level (Meat Only)

Stainless Steel Ice Pans with Drains (Fish Only)



Curved Glass Deli

Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
SC-CDS32E-4C-LED	Self contained	30.5"	50"	50.5"	115	12.0	1/4	5-15P	500
SC-CDS32E-6C-LED	Self contained	30.5"	74"	50.5"	115	12.0	1/3	5-15P	710
Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
R-CDS32E-4C-LED	Remote	30.5"	50"	50.5"	115	1.4	1400	No	460
R-CDS32E-6C-LED	Remote	30.5"	74"	50.5"	115	2.2	2100	No	660

Straight Glass Deli

Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
SC-CDS32E-4-LED	Self contained	30.5"	50"	49.6"	115	12	1/4	5-15P	470
SC-CDS32E-6-LED	Self contained	30.5"	74"	49.6"	115	12	1/3	5-15P	680
SC-CDS32E-8-LED	Self contained	30.5"	98"	49.6"	115	16	1/2	5-20P	910
Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
R-CDS32E-4-LED	Remote	30.5"	50"	49.6"	115	0.8	1400	No	430
R-CDS32E-6-LED	Remote	30.5"	74"	49.6"	115	1.6	2100	No	630
R-CDS32E-8-LED	Remote	30.5"	98"	49.6"	115	1.6	2800	No	860

*External Removable Rear Door

Add (-B) for Black or (-S) for Stainless Steel to model number CMS Red Meat model, CFS Fish and Poultry model



Service Case Options and Upgrades

OPTIONS

Part#	Description	Models #	
9000	End Panel Deduction	All (except 34N and 35)	Each
In-Div-XX	Insulated Divider	All (except 34N and 35)	Each
Plex-XX	Plexiglas Divider	All (except 34N and 35)	Each
JK-XX-W	Joint Kit White	All (except 34N and 35)	Each
JK-XX-B	Joint Kit Black	All (except 34N and 35)	Each
K-XX-SS	Joint Kit SS	All (except 34N and 35)	Each
Mezz-4-XX	Extra Row of Mezzanine Shelves with Brackets	4'	Each
Mezz-6-XX	Extra Row of Mezzanine Shelves with Brackets	6'	Each
Mezz-8-XX	Extra Row (2) 4' Mezzanine Shelves with Brackets	8'	Each
Mezz-10-XX	Extra Row (2) 5' Mezzanine Shelves with Brackets	10'	Each
Mezz-12-XX	Extra Row (2) 6' Mezzanine Shelves with Brackets	12'	Each
A PILASTER SET IS REQUIRED ON FISH/POULTRY & RED MEAT WHEN ADDING A SHELF			
Pil-4-XX	Pilaster to Hold Mezzanine Shelf - 1 set 4'	Fish/RM-4'	Each
Pil-6-XX	Pilaster to Hold Mezzanine Shelf - 1 set 6'	Fish/RM-6'	Each
Pil-8-XX	Pilaster to Hold Mezzanine Shelf - 2 sets 8'	Fish/RM-8'	Each
Pil-10-XX	Pilaster to Hold Mezzanine Shelf - 2 set 10'	Fish/RM-10'	Each
Pil-12-XX	Pilaster to Hold Mezzanine Shelf - 2 set 12'	Fish/RM-12'	Each
ShelfLight-XX-4	4' Light for 1 row of Shelf 32E,34E,40E. (LED)	All 4'	Each
ShelfLight-XX-6	6' Light for 1 row of Shelf 32E,34E,40E (LED)	All 6'	Each
ShelfLight-XX-8	(2) 4' Lights for 1 row of Shelf 32E,34E,40E (LED)	All 8'	Each
ShelfLight-XX-10	(2) 5' Lights for 1 row of Shelf 32E,34E,40E (LED)	All 10'	Each
ShelfLight-XX-12	(2) 6' Lights for 1 row of Shelf 32E,34E,40E (LED)	All 12'	Each
DT	Digital Thermometer	All	Each
ScaleSt	Scale Stand Only	8'-10'-12'	Each
ScalePaper	Scale Stand & Paper Cutter	8'-10'-12'	Each
DWS-836	Drop Work Shelf 8" x 36"	All*	Each
DWS-1046	Drop Work Shelf 10" x 46"	All*	Each
MDP-4-XX	Main Deck Pans - Stainless Steel (no wire Shelf)	4"	Set
MDP-6-XX	Main Deck Pans - Stainless Steel (no wire Shelf)	6"	Set
MDP-8-XX	Main Deck Pans - Stainless Steel (no wire Shelf)	8"	Set
MDP-10-XX	Main Deck Pans - Stainless Steel (no wire Shelf)	10"	Set
MDP-12-XX	Main Deck Pans - Stainless Steel (no wire Shelf)	12"	Set
CC-4-XX	Coated Coil 4' Top	4"	Each
CC-6-XX	Coated Coil 6' Top	6"	Each
CC-8-XX	Coated Coil 8' Top	8"	Each
CC-10-XX	Coated Coil 10' Top	10"	Each
CC-12-XX	Coated Coil 12' Top	12"	Each
CC-4B-XX	Coated Coil 4' Bottom	4"	Each
CC-6B-XX	Coated Coil 6' Bottom	6"	Each
CC-8B-XX	Coated Coil 8' Bottom	8"	Each
CC-10B-XX	Coated Coil 10' Bottom	10"	Each
CC-12B-XX	Coated Coil 12' Bottom	12"	Each

*Available on 40E 4ft series only. All other sizes available on all service cases.

Service Case Options and Upgrades

SECURITY

Part#	Description		Part#	Description	
SC-4	Security Locks - 4' - Top Doors	4' Set	SC-4B	Security Locks - 4' - Top Doors	4' Set
SC-6	Security Locks - 6' - Top Doors	6' Set	SC-6B	Security Locks - 6' - Top Doors	6' Set
SC-8	Security Locks - 8' - Top Doors	8' Set	SC-8B	Security Locks - 8' - Top Doors	8' Set
SC-10	Security Locks - 10' - Top Doors	10' Set	SC-10B	Security Locks - 10' - Top Doors	10' Set
SC-12	Security Locks - 12' - Top Doors	12' Set	SC-12B	Security Locks - 12' - Top Doors	12' Set

CUSTOM DESIGN

Please note add 2-3 weeks lead time when adding custom colors and laminates

Part#	Description		Part#	Description	
9001	Special Laminate** Complete Front	Per Ft	MRGD-4	Mirror Glass door set 4'	4' Set
9002	Special Laminate** Ext End Panel	Each	MRGD-6	Mirror Glass door set 6'	6' Set
9003	Special Laminate** Colorband	Each	MRGD-8	Mirror Glass door set 8'	8' Set
9004	Special Laminate** Rear	Per Ft	MRGD-10	Mirror Glass door set 10'	10' Set
9009	Stainless Steel Brushed Polished Complete Exterior		MRGD-12	Mirror Glass door set 12'	12' Set
9001	Special Color Paint Front	Per Ft	SSBD-4	Stainless Steel Solid door set 4'	4' Set
9002	Special Color Paint Ext End Panel	Each	SSBD-6	Stainless Steel Solid door set 6'	6' Set
9003	Special Color Paint Colorband	Per Ft	SSBD-8	Stainless Steel Solid door set 8'	8' Set
9004	Special Color Paint Rear	Per Ft	SSBD-10	Stainless Steel Solid door set 10'	10' Set
9005	Stainless Steel Interior - Upper Ends	Each	SSBD-12	Stainless Steel Solid door set 12'	12' Set
9007	Stainless Steel Complete Bottom Area	Per Ft			
9010	Stainless Steel Brushed Mirrored Polished Complete Interior		Bump-1	Special Color Bumper 1"	Per Ft
			Bump-2	Special Color Bumper 2" 40E-Curved only	Per Ft

**Laminates are priced for Wilson Art

SPECIALTY CASE OPTIONS

Part#	Description		Part#	Description	
FISH/POULTRY CASES					
ICE-4	Ice Pans - Stainless Steel - 4' (2) pans	4' Set	MP-24	32E Meat Platter 10" x 24"	Each
ICE-6	Ice Pans - Stainless Steel - 6' (3) pans	6' Set	MP-27	34E-35 Meat Platter 11 1/2" x 27"	Each
ICE-8	Ice Pans - Stainless Steel - 8' (4) pans	8' Set	MP-30	40E Meat Platters 10" x 30"	Each
ICE-10	Ice Pans - Stainless Steel - 10' (5) pans	10' Set	REMOTE CASES		
ICE-12	Ice Pans - Stainless Steel - 12' (6) pans	12' Set	21-014-S	Temperature Control	Each
EC-4	Bottom Coil - Fish ** 34 - 35 Series	4'	SV-O30	Solenoid Valve - Refrigerator	Each
EC-6	Bottom Coil - Fish ** 34 - 35 Series	6'			
EC-8	Bottom Coil - Fish ** 34 - 35 Series	8'			
EC-10	Bottom Coil - Fish ** 34 - 35 Series	10'			
EC-12	Bottom Coil - Fish ** 34 - 35 Series	12'			

**Includes Required Condensing unit upgrade


"MADE TO ORDER" DISCLAIMER:

"Added Options" on Howard McCray units are considered "MADE TO ORDER". They will require a deposit and cannot be cancelled or returned once the order has been confirmed.

This includes: Remote Units, Stainless Steel, Special Colors, and Line-ups of Multiple Units.




Service Case Accessories



Standard Thermometer



Digital Thermometer



Gravity Coil



Meat Platter- Available in Two Different Sizes



Scale Stand & Paper Cutter



Humidity Coil- Red Meat Case



Drop Work Shelf- Available in Two Different Sizes

COMING SOON!

FRONT ACCESS SERVICE CASES

With Lift-Up Front Glass

Designed for Small Market Formats

2 Styles

40" Deep


Available In:

Deli, Red Meat, Fish/Poultry

Self Contained - 3', 4', 5' & 6' lengths

Remote - 3', 4', 5' & 6' lengths

Endless Design



Howard
McCray



www.howardmccray.com

Howard McCray 831 East Cayuga Street, Philadelphia, PA. 19124
1-800-344-8222 • (215) 464-6800 • E-Mail: sales@howardmccray.com