



Service Case Catalog

www.howardmccray.com

New Product



34N SERIES CASES

Double Duty - Stand Alone Deli, Red Meat, Fish/Poultry

Features

- White, Black, Stainless Steel or Laminated Exterior
- White or Stainless Steel Interior
- Standard 1" Gray Bumper
- Epoxy Coated Main Deck Shelves
- Heavy Duty Bright Stainless Steel Top
- Expansion Valve System
- LED Lit Top
- Automatic Condensate Pan - Self Contained
- Full length Gravity Coil Located Inside Top
- Full length Gravity Coil Located Bottom in day Storage Area (Deli and Meat Only)
- 28" of Thermal Insulated Front Glass
- Extra Large Rear Doors
- Temperature & Defrost Electronically Controlled
- Full Length Mezzanine Shelf (Deli Only)
- Stainless Steel Ice Pan (Fish Only)
- Humidity Coil at Main Deck Level (Meat Only)
- UL Classified to ANSI/NSF 7

Hot Cases **NOW**
Available in 4', 6' & 8'

Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
SC-CDS34N-4-LED	Self contained	36.25"	48"	55"	115	12	1/4	5-15P	530
SC-CDS34N-6-LED	Self contained	34.25"	72"	55"	115	12	1/3	5-15P	742
SC-CDS34N-8-LED	Self contained	34.25"	96"	55"	115	16	1/2	5-20P	897
SC-CDS34N-10-LED	Self contained	34.25"	120"	55"	115	13.8	1/2	No	1150
SC-CDS34N-12-LED	Self contained	34.25"	144"	55"	115	17.4	3/4	No	1414

Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
R-CDS34N-4-LED	Remote	36.25"	48"	55"	115	0.8	1400	No	497
R-CDS34N-6-LED	Remote	34.25"	72"	55"	115	1.3	2100	No	693
R-CDS34N-8-LED	Remote	34.25"	96"	55"	115	1.6	2800	No	832
R-CDS34N-10-LED	Remote	34.25"	120"	55"	115	2.4	3500	No	1089
R-CDS34N-12-LED	Remote	34.25"	144"	55"	115	2.4	4200	No	1359

*External Removable Rear Door
Add (-B) for Black or (-SS) for Stainless Steel to model number CMS Red Meat model, CFS Fish and Poultry mode

32E Series Cases Curved or Straight Glass Deli, Red Meat, Fish/Poultry

Features

- Choice of White, Black, Stainless Steel or Laminated Exterior
- Choice of White or Stainless Steel Interior
- Epoxy Coated Main Deck Shelves
- Heavy Duty Bright Stainless Steel Top
- Standard 1" Gray Bumper
- Expansion Valve System
- Temperature & Defrost Electronically Controlled
- Full length Gravity Coil Located Inside Top
- Thermal Insulated Front Glass
- LED Lit Top
- UL Classified to ANSI/NSF 7
- Automatic Condensate Pan - Self Contained
- Endless Design for Continuous Lineups
- Full Length Mezzanine Shelf (Deli Only)
- Humidity Coil at Main Deck Level (Meat Only)
- Stainless Steel Ice Pans with Drains (Fish Only)



Curved Glass Deli

Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
SC-CDS32E-4C-LED	Self contained	30.5"	50"	50.5"	115	12.0	1/4	5-15P	500
SC-CDS32E-6C-LED	Self contained	30.5"	74"	50.5"	115	12.0	1/3	5-15P	710
Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
R-CDS32E-4C-LED	Remote	30.5"	50"	50.5"	115	1.4	1400	No	460
R-CDS32E-6C-LED	Remote	30.5"	74"	50.5"	115	2.2	2100	No	660

Straight Glass Deli

Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
SC-CDS32E-4-LED	Self contained	30.5"	50"	49.6"	115	12	1/4	5-15P	470
SC-CDS32E-6-LED	Self contained	30.5"	74"	49.6"	115	12	1/3	5-15P	680
SC-CDS32E-8-LED	Self contained	30.5"	98"	49.6"	115	16	1/2	5-20P	910
Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
R-CDS32E-4-LED	Remote	30.5"	50"	49.6"	115	0.8	1400	No	430
R-CDS32E-6-LED	Remote	30.5"	74"	49.6"	115	1.6	2100	No	630
R-CDS32E-8-LED	Remote	30.5"	98"	49.6"	115	1.6	2800	No	860

*External Removable Rear Door

Add (-B) for Black or (-SS) for Stainless Steel to model number CMS Red Meat model, CFS Fish and Poultry mode

35 SERIES CASES Double Duty - Stand Alone Deli, Red Meat, Fish/Poultry, Hot Case

Features

- Choice of White, Black, Stainless Steel or Laminated Exterior
- Choice of White or Stainless Steel Interior
- Standard 1" Gray Bumper
- Epoxy Coated Main Deck Shelves
- Heavy Duty Bright Stainless Steel Top
- Expansion Valve System
- LED Lit Top
- Automatic Condensate Pan - Self Contained
- Full length Gravity Coil Located Inside Top
- Full length Gravity Coil Located Bottom Storage Area (Deli and Meat only)
- Thermal Insulated Front Glass
- Temperature & Defrost Electronically Controlled
- Full Length Mezzanine Shelf (Deli Only)
- Humidity Coil at Main Deck Level (Meat Only)
- Stainless Steel Ice Pans with Drains (Fish Only)
- UL Classified to ANSI/NSF 7



Hot Cases Available
in 4', 6' & 8'

Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
SC-CDS35-4-LED	Self contained	37.5"	50"	52"	115	12	1/4	5-15P	500
SC-CDS35-6-LED	Self contained	35.5"	71"	52"	115	12	1/3	5-15P	645
SC-CDS35-8-LED	Self contained	35.5"	95"	52"	115	16	1/2	5-20P	900
SC-CDS35-10-LED	Self contained	35.5"	119"	52"	115	13.8	1/2	No	1230
SC-CDS35-12-LED	Self contained	35.5"	143"	52"	115	17.4	3/4	No	1344

Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
R-CDS35-4-LED	Remote	37.5"	50"	52"	115	0.8	1400	No	460
R-CDS35-6-LED	Remote	35.5"	71"	52"	115	1.3	2100	No	595
R-CDS35-8-LED	Remote	35.5"	95"	52"	115	1.6	2800	No	845
R-CDS35-10-LED	Remote	35.5"	119"	52"	115	2.4	3500	No	1175
R-CDS35-12-LED	Remote	35.5"	143"	52"	115	2.4	4200	No	1295

*External Removable Rear Door
Add (-B) for Black or (-SS) for Stainless Steel to model number, CMS Red Meat model, CFS Fish and Poultry model

40E-C Series Cases Bakery

Features

- Choice of White, Black, Stainless Steel or Laminated Exterior
- Choice of White or Stainless Steel Interior
- Epoxy Coated Main Deck Shelves
- Stainless Steel Heavy Gauge Top 13³/₄"
- Extra Wide Double Bend Curved Glass
- Endless Design For Continuous Line Up
- Front 2" Gray Bumper
- LED Lit Top
- Full length Gravity Coil Located Inside Top
- Expansion Valve System
- UL Classified to ANSI/NSF 7
- Temperature & Defrost Electronically Controlled
- LED Lit Full Length Mezzanine Shelf (Deli Only)
- Humidity Coil at Main Deck Level (Meat Only)
- Stainless Steel Ice Pans with Drains (Fish Only)
- Two LED Lit Glass Shelves (Bakery Only)



Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
SC-CBS40E-4C-LED	Self contained	40"	51.5"	53"	115	12	14	Yes	530
SC-CBS40E-6C-LED	Self contained	40"	75.5"	53"	115	12	13	Yes	741
SC-CBS40E-8C-LED	Self contained	40"	99.5"	53"	115	16	12	Yes	891
Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
R-CBS40E-4C-LED	Remote	40"	51.5"	53"	115	0.8	820	No	497
R-CBS40E-6C-LED	Remote	40"	75.5"	53"	115	1.3	1230	No	693
R-CBS40E-8C-LED	Remote	40"	99.5"	53"	115	1.6	1640	No	832

*External Removable Rear Door
Add (-B) for Black or (-SS) for Stainless Steel to model number, CMS Red Meat model, CFS Fish and Poultry model

40E-C Series Cases Deli, Red Meat, Fish/Poultry

Features

- Choice of White, Black, Stainless Steel or Laminated Exterior
- Choice of White or Stainless Steel Interior
- Epoxy Coated Main Deck Shelves
- Stainless Steel Heavy Gauge Top 13¾"
- Extra Wide Double Bend Curved Glass
- Endless Design For Continuous Line Up
- Front 2" Gray Bumper
- LED Lit Top
- Full length Gravity Coil Located Inside Top
- Expansion Valve System
- UL Classified to ANSI/NSF 7
- Temperature & Defrost Electronically Controlled
- LED Lit Full Length Mezzanine Shelf (Deli Only)
- Humidity Coil at Main Deck Level (Meat Only)
- Stainless Steel Ice Pans with Drains (Fish Only)
- Two LED Lit Glass Shelves (Bakery Only)




Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
SC-CDS40E-4C-LED	Self contained	40"	51.5"	53"	115	12	1/4	5-15P	530
SC-CDS40E-6C-LED	Self contained	40"	75.5"	53"	115	12	1/3	5-15P	741
SC-CDS40E-8C-LED	Self contained	40"	99.5"	53"	115	16	1/2	5-20P	983
Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
R-CBS40E-4C-LED	Remote	40"	51.5"	53"	115	0.8	1400	No	497
R-CBS40E-6C-LED	Remote	40"	75.5"	53"	115	1.3	2100	No	693
R-CBS40E-8C-LED	Remote	40"	99.5"	53"	115	1.6	2800	No	890

*External Removable Rear Door
Add (-B) for Black or (-SS) for Stainless Steel to model number, CMS Red Meat model, CFS Fish and Poultry model

40E Series Cases Deli, Red Meat, Fish/Poultry, Hot Case

Features

- Choice of White, Black, Stainless Steel or Laminated Exterior
- Choice of White or Stainless Steel Interior
- Epoxy Coated Main Deck Shelves
- Stainless Steel Heavy Gauge Top 20"
- Thermal Insulated Front Glass
- Endless Design For Continuous Line Up
- Front 1" Gray Bumper
- LED Lit Top
- Full length Gravity Coil Located Inside Top
- Expansion Valve System
- UL Classified to ANSI/NSF 7
- Temperature & Defrost Electronically Controlled
- Full Length Mezzanine Shelf (Deli Only)
- Humidity Coil at Main Deck Level (Meat Only)
- Stainless Steel Ice Pans with Drains (Fish Only)



Hot Cases Available
in 4', 6' & 8'



Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
SC-CDS40E-4-LED	Self contained	40"	52.5"	53"	115	12	14	Yes	530
SC-CDS40E-6-LED	Self contained	40"	76.5"	53"	115	12	13	Yes	741
SC-CDS40E-8-LED	Self contained	40"	100.5"	53"	115	16	12	Yes	983
SC-CDS40E-10-LED	Self contained	40"	124.5"	53"	115	13.8	12	No	1150
SC-CDS40E-12-LED	Self contained	40"	148.5"	53"	115	17.4	3/4	No	1396
Model No.	Description	Depth	Length	Height	Voltage	Amps	HP/BTUs	Power Cord	Est. Ship Weight
SC-CDS40E-4-LED	Remote	40"	52.5"	53"	115	0.8	1400	No	497
SC-CDS40E-6-LED	Remote	40"	76.5"	53"	115	1.3	2100	No	693
SC-CDS40E-8-LED	Remote	40"	100.5"	53"	115	1.6	2800	No	890
SC-CDS40E-10-LED	Remote	40"	124.5"	53"	115	2.4	3500	No	1089
SC-CDS40E-12-LED	Remote	40"	148.5"	53"	115	2.4	4250	No	1325

Add (-B) for Black or (-SS) for Stainless Steel to model number, CMS Red Meat model, CFS Fish and Poultry model



COMING SOON! FRONT ACCESS SERVICE CASES

With Lift-Up Front Glass
Designed for Small Market Formats
2 Styles

40" Deep
Available In:
Deli, Red Meat, Fish/Poultry
Self Contained - 4' & 6' lengths
Remote - 4' & 6' lengths
Endless Design



Howard McCray



**Howard
McCray**

www.howardmccray.com

Howard Mccray 831 East Cayuga Street, Philadelphia, PA 19124 • 1-800-344-8222